

# Reno Flip Top Table - Assembly Instructions



Place your round or square table top on a stable surface i.e. bench or floor with the bottom of the top facing upwards. (The top is the same both sides so place the best looking surface face down) Make sure you have some protection under the table so that it doesn't get marked



Check you have all parts pictured for assembly, these will all come in a box together.



Screw base together to make an "X" shape, the bolts go through one part of the base that doesn't have any threaded section and into the other part of the base which has a threaded section please check and make sure the part with the threaded hole is on the bottom.



Stand the base upright.



Slot the table body cylinder into the base with the wedge positioned between the two circles to lock it into place.



You will now assemble the "flip top" mechanism.



Slot the threaded rectangle piece into place



Position the circular cap






Position cylinder over the circular cap.



Position bolt through cylinder and thread this into the slotted the rectangle piece in the mechanism. This can be done up tightly by hand.



Fasten bolt in underside of base make sure the silver column and the base are lined up and the slots shown before all line up.



Lay the table base down with the flip top mechanism lined up with the table top. You will need to release the mechanism so that it will hinge and you do this by lifting the plastic locking section as pictured above





Position mechanism in the center of the table by using a tape and measuring so that all sides are an equal distance.



Use the provided screws and a drill or screw driver to fix the height adjustment ring in place. The screws are self-taping timber screws so holes are not needed to be predrilled. Please just screw straight into the top for the best fixing.



Your Reno flip top table is now ready to use

